

# Data Sheet

## VLR 70 S

### Decentralised Ventilation System

Decentralised heat recovery ventilation unit installed in pairs to create a healthy indoor environment.

**STIEBEL ELTRON**



VLR 70 S



Wall mounted controller

#### Selecting The Right STIEBEL ELTRON Product

Thank you for considering the STIEBEL ELTRON VLR decentralised ventilation system, with over 90 years of experience with energy efficient technologies, we are sure you will be happy with your choice of a STIEBEL ELTRON ventilation system.

Our customer support representatives can be contacted on our free call number 1800 153 351 to assist in selecting the appropriate system/systems for your project.

#### Electrical Installation

This product must be installed in accordance with AS/NZS3000 electrical regulations by a qualified installer.

#### Warranty

For full warranty information please visit [www.stiebel-eltron.co.nz](http://www.stiebel-eltron.co.nz)

#### Technical Support

Stiebel Eltron NZ Ltd  
Telephone: 09 486 2221  
Website: [www.stiebel-eltron.co.nz](http://www.stiebel-eltron.co.nz)  
Email: [service@stiebel-eltron.co.nz](mailto:service@stiebel-eltron.co.nz)


#### The advantages

- › Supplies fresh air from outside into your home or office
- › Decentralised ventilation – suitable for new builds and renovations
- › Hygienic aluminium heat exchanger
- › Quiet operation
- › Installed in pairs, connect up to 8 units together with included controller

#### DECENTRALISED VENTILATION SYSTEM

MODEL NUMBER		VLR 70 S
Air flow rate	m <sup>3</sup> /h	10 – 70
Heat recovery level		Up to 92 %
Filter class		F7
Max. power consumption (8 units)	W	92
Connection		1/N 100-240 V 50/60 Hz
Max. current (8 units)	A	3.8
Sound power level at 20 m <sup>3</sup> /h	dB(A)	35
IP rating		IP 21
Maximum altitude for installation	m	2000
Operating temperature range	°C	-14 to +40
Wall thickness	mm	100 – 300
Min. outlet aperture	mm	□ 200, square 185 x 185
Height	mm	285
Width	mm	360
Depth	mm	590
Weight	kg	5.2

VLR 70 S Dimensions



STIEBEL ELTRON is committed to our policy of continual improvement, some features may have subsequently been changed or even removed. Our advisors will be happy to consult with you regarding the currently applicable equipment features. The images used in this brochure are for reference only.